M No.:

Name:

Level	Age band(<4-6 years	Current status of child
	Children get into and out of, and sit in, a chair without the need for hand support	
1	Children move from the floor and from chair sitting to standing without	
	the need for objects for support.	
	Children walk indoors and outdoors, and climb stairs.	
	Emerging ability to run and jump	
	Children sit in a chair with both hands free to manipulate objects.	
	Children move from the floor to standing and from chair sitting to standing	
	but often require a stable surface to push or pull up on with their arms.	
	Children walk without the need for a handheld mobility device indoors and	
	for short distances on level surfaces outdoors.	
	Children climb stairs holding onto a railing but are unable to run or jump	
	Children sit on a regular chair but may require pelvic or trunk support to	
	maximize hand function.	
	Children move in and out of chair sitting using a stable surface to push	
	on or pull up with their arms.	
	Children walk with a hand-held mobility device on level	
	surfaces and climb stairs with assistance from an adult.	
	Children frequently are transported when traveling for long distances or	
	outdoors on uneven terrain.	
	Children sit on a chair but need adaptive seating for trunk control and	
	to maximize hand function.	
	Children move in and out of chair sitting with assistance from an adult	
I\/	or a stable surface to push or pull up on with their arms.	
IV	Children may at best walk short distances with a walker and adult supervision	
	but have difficulty turning and maintaining balance on uneven surfaces.	
	Children are transported in the community. Children may achieve self-	
	mobility using a powered wheelchair	
=	Physical impairments restrict voluntary control of movement and the	
	ability to maintain antigravity head and trunk postures.	
	All areas of motor function are limited. Functional limitations in sitting	
\/	and standing are not fully compensated for through the use of	
V	adaptive equipment and assistive technology.	
-	At Level V, children have no means of independent movement and are	
	transported.	
	Some children achieve self-mobility using a powered wheelchair with	
	extensive adaptations	

M No.:

Name:

 Infants move in and out of sitting and floor sit with both hands free to manipulate objects. Infants crawl on hands and knees, pull to stand and take steps holding on to furniture. Infants walk between 18 months and 2 years of age without the need for any assistive mobility device Infants maintain floor sitting but may need to use their hands fo support to maintain balance. Infants creep on their stomach or crawl on hands and knees. Infants may pull to stand and take steps holding on to furniture Infants maintain floor sitting when the low back is supported. Infants roll and creep forward on their stomachs Infants have head control but trunk support is required for floorsitting. Can roll to supine and may roll to prone Physical impairments limit voluntary control of movement. Infants are unable to maintain antigravity head and trunk postures in prone and sitting. Infants require adult assistance to roll 	Level	Age band(<2years	Current status of child
 Infants crawl on hands and knees, pull to stand and take steps holding on to furniture. Infants walk between 18 months and 2 years of age without the need for any assistive mobility device Infants maintain floor sitting but may need to use their hands fo support to maintain balance. Infants creep on their stomach or crawl on hands and knees. Infants may pull to stand and take steps holding on to furniture Infants maintain floor sitting when the low back is supported. Infants roll and creep forward on their stomachs Infants have head control but trunk support is required for floorsitting. Can roll to supine and may roll to prone Physical impairments limit voluntary control of movement. Infants are unable to maintain antigravity head and trunk postures in prone and sitting. 		Infants move in and out of sitting and floor sit with both hands	
holding on to furniture. Infants walk between 18 months and 2 years of age without the need for any assistive mobility device Infants maintain floor sitting but may need to use their hands fo support to maintain balance. Infants creep on their stomach or crawl on hands and knees. Infants may pull to stand and take steps holding on to furniture Infants maintain floor sitting when the low back is supported. Infants roll and creep forward on their stomachs Infants have head control but trunk support is required for floorsitting. Can roll to supine and may roll to prone Physical impairments limit voluntary control of movement. Infants are unable to maintain antigravity head and trunk postures in prone and sitting.		free to manipulate objects.	
 Infants walk between 18 months and 2 years of age without the need for any assistive mobility device Infants maintain floor sitting but may need to use their hands fo support to maintain balance. Infants creep on their stomach or crawl on hands and knees. Infants may pull to stand and take steps holding on to furniture Infants maintain floor sitting when the low back is supported. Infants roll and creep forward on their stomachs Infants have head control but trunk support is required for floorsitting. Can roll to supine and may roll to prone Physical impairments limit voluntary control of movement. Infants are unable to maintain antigravity head and trunk postures in prone and sitting. 		Infants crawl on hands and knees, pull to stand and take steps	
 need for any assistive mobility device Infants maintain floor sitting but may need to use their hands fo support to maintain balance. Infants creep on their stomach or crawl on hands and knees. Infants may pull to stand and take steps holding on to furniture Infants maintain floor sitting when the low back is supported. Infants roll and creep forward on their stomachs Infants have head control but trunk support is required for floorsitting. Can roll to supine and may roll to prone Physical impairments limit voluntary control of movement. Infants are unable to maintain antigravity head and trunk postures in prone and sitting. 		holding on to furniture.	
 Infants maintain floor sitting but may need to use their hands fo support to maintain balance. Infants creep on their stomach or crawl on hands and knees. Infants may pull to stand and take steps holding on to furniture Infants maintain floor sitting when the low back is supported. Infants roll and creep forward on their stomachs Infants have head control but trunk support is required for floorsitting. Can roll to supine and may roll to prone Physical impairments limit voluntary control of movement. Infants are unable to maintain antigravity head and trunk postures in prone and sitting. 	•	Infants walk between 18 months and 2 years of age without the	
support to maintain balance. Infants creep on their stomach or crawl on hands and knees. Infants may pull to stand and take steps holding on to furniture Infants maintain floor sitting when the low back is supported. Infants roll and creep forward on their stomachs Infants have head control but trunk support is required for floorsitting. Can roll to supine and may roll to prone Physical impairments limit voluntary control of movement. Infants are unable to maintain antigravity head and trunk postures in prone and sitting.		need for any assistive mobility device	
 Infants creep on their stomach or crawl on hands and knees. Infants may pull to stand and take steps holding on to furniture Infants maintain floor sitting when the low back is supported. Infants roll and creep forward on their stomachs Infants have head control but trunk support is required for floorsitting. Can roll to supine and may roll to prone Physical impairments limit voluntary control of movement. Infants are unable to maintain antigravity head and trunk postures in prone and sitting. 		Infants maintain floor sitting but may need to use their hands fo	
 Infants may pull to stand and take steps holding on to furniture Infants maintain floor sitting when the low back is supported. Infants roll and creep forward on their stomachs Infants have head control but trunk support is required for floorsitting. Can roll to supine and may roll to prone Physical impairments limit voluntary control of movement. Infants are unable to maintain antigravity head and trunk postures in prone and sitting. 		support to maintain balance.	
 Infants maintain floor sitting when the low back is supported. Infants roll and creep forward on their stomachs Infants have head control but trunk support is required for floorsitting. Can roll to supine and may roll to prone Physical impairments limit voluntary control of movement. Infants are unable to maintain antigravity head and trunk postures in prone and sitting. 	11	Infants creep on their stomach or crawl on hands and knees.	
 Infants roll and creep forward on their stomachs Infants have head control but trunk support is required for floorsitting. Can roll to supine and may roll to prone Physical impairments limit voluntary control of movement. Infants are unable to maintain antigravity head and trunk postures in prone and sitting. 		Infants may pull to stand and take steps holding on to furniture	
 Infants have head control but trunk support is required for floorsitting. Can roll to supine and may roll to prone Physical impairments limit voluntary control of movement. Infants are unable to maintain antigravity head and trunk postures in prone and sitting. 		Infants maintain floor sitting when the low back is supported.	
 Can roll to supine and may roll to prone Physical impairments limit voluntary control of movement. Infants are unable to maintain antigravity head and trunk postures in prone and sitting. 	Ш	Infants roll and creep forward on their stomachs	d.
 Physical impairments limit voluntary control of movement. Infants are unable to maintain antigravity head and trunk postures in prone and sitting. 	NUTS OFFICE BY MOUNT	 Infants have head control but trunk support is required for floorsitting. 	
Infants are unable to maintain antigravity head and trunk postures in prone and sitting.	IV	Can roll to supine and may roll to prone	
in prone and sitting.		Physical impairments limit voluntary control of movement.	
		Infants are unable to maintain antigravity head and trunk postures	
Infants require adult assistance to roll	V	in prone and sitting.	
	V	Infants require adult assistance to roll	

M No.:

Name:

Level	Age band(<4-6 years	Current status of child
	Children get into and out of, and sit in, a chair without the need for hand support	
	Children move from the floor and from chair sitting to standing without	
	the need for objects for support.	
	Children walk indoors and outdoors, and climb stairs.	
	Emerging ability to run and jump	
	 Children sit in a chair with both hands free to manipulate objects. 	
	Children move from the floor to standing and from chair sitting to standing	
	but often require a stable surface to push or pull up on with their arms.	
	Children walk without the need for a handheld mobility device indoors and	
	for short distances on level surfaces outdoors.	
	Children climb stairs holding onto a railing but are unable to run or jump	
	Children sit on a regular chair but may require pelvic or trunk support to	
	maximize hand function.	
	Children move in and out of chair sitting using a stable surface to push	
	on or pull up with their arms.	
	Children walk with a hand-held mobility device on level	
	surfaces and climb stairs with assistance from an adult.	
	Children frequently are transported when traveling for long distances or	
	outdoors on uneven terrain.	
	Children sit on a chair but need adaptive seating for trunk control and	
	to maximize hand function.	
11 /	Children move in and out of chair sitting with assistance from an adult	
11//	or a stable surface to push or pull up on with their arms.	
IV	Children may at best walk short distances with a walker and adult supervision	
	but have difficulty turning and maintaining balance on uneven surfaces.	
	Children are transported in the community. Children may achieve self-	
	mobility using a powered wheelchair	
	Physical impairments restrict voluntary control of movement and the	
	ability to maintain antigravity head and trunk postures.	
	All areas of motor function are limited. Functional limitations in sitting	
\/	and standing are not fully compensated for through the use of	
V	adaptive equipment and assistive technology.	
_	At Level V, children have no means of independent movement and are	
	transported.	
	Some children achieve self-mobility using a powered wheelchair with	
	extensive adaptations	

M No.:

Name:

Level	Age band(<6-12 years	Current status o child
	Children walk at home, school, outdoors, and in the community.	
	Children are able to walk up and down curbs without physical assistance	
	and stairs without the use of a railing.	
-	Children perform gross motor skills such as running and jumping but	
	speed, balance, and coordination are limited.	
	Children may participate in physical activities and sports depending on	
	personal choices and environmental factors.	
	Children walk in most settings. Children may experience difficulty walking	
	long distances and balancing on uneven terrain, inclines, in crowded areas,	
	confined spaces or when carrying objects.	62
	Children walk up and down stairs holding onto a railing or with	
	physical assistance if there is no railing.	
	Outdoors and in the community, children may walk with physical	(a)
	assistance,a hand-held mobility device, or use wheeled mobility when	=
	traveling long distances.	
	Children have at best only minimal ability to perform gross	
	motor skills such as running and jumping.	
	Limitations in performance of gross motor skills may necessitate	
	adaptations to enable	
	participation in physical activities and sports	
	Children walk using a hand-held mobility device in most indoor settings. When	
	seated, children may require a seat belt for pelvic alignment and balance.	
	Sit-to-stand and floor-to-stand transfers require physical assistance of a	
	person or support surface.	
	When traveling long distances, children use some form of wheeled mobility.	
	Children may walk up and down stairs holding onto a railing with	
	supervision or physical assistance. Limitations in walking may necessitate	
	adaptations to enable participation in physical activities and sports	111
	including self- propelling a manual wheelchair or powered mobility	
	Children walk using a hand-held mobility device in most indoor	
	settings. When seated, children may require a seat belt for pelvic	
	alignment and balance.	

M No.:

Name:

	Sit-to-stand and floor-to-stand transfers require physical assistance of a person or support surface.
	When traveling long distances, children use some form of wheeled mobility.
	Children may walk up and down stairs holding onto a railing with supervision or physical assistance.
	Limitations in walking may necessitate adaptations to enable articipation in physical activities and sports including self- propelling a anual wheelchair or powered mobility
	Children use methods of mobility that require physical assistance or powered mobility in most settings.
	 Children require adaptive seating for trunk and pelvic control and physical assistance for most transfers. At home, children use floor mobility (roll,creep, or crawl), walk short
\/	distances with physical assistance, or use powered mobility. When positioned, children may use a body support walker at home or school.
IV	At school, outdoors, and in the community, children are transported in a manual wheelchair or usepowered mobility.
	Limitations in mobility necessitate adaptations to enable participation in physical activities and sports, including physical assistance and/or powered mobility
	Children are transported in a manual wheelchair in all settings. Children are limited in their ability to maintain antigravity head and trunk postures and control arm and leg movements.
٧	Assistive technology is used to improve head alignment, seating, standing, and and/or mobility but limitations are not fully compensated by equipment. Transfers require complete physical assistance of an adult.
	At home, children may move short distances on the floor or may be carried by an adult. Children may achieve selfmobility using powered mobility with extensive adaptations for seating and control access.
	Limitations in mobility necessitate adaptations to enable participation in physical activities and sports including physical assistance and using powered mobility.